



JANUARY 2022

MANUFACTURER	FIBER CT	DESCRIPTION	QTY FT	WEIGHT	D
SUPERIOR ESSEX	864	OUTDOOR, RIBBON, SINGLE-ARMOR, SINGLE-JACKET W/ ZERO WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	5,340	2,634	48"L X 84"
SUPERIOR ESSEX	864	OUTDOOR, RIBBON, SINGLE-ARMOR, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	4,144	769	48"L X 60"
SUPERIOR ESSEX	864	OUTDOOR, RIBBON, SINGLE-ARMOR, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	2,942	2,135	48"L X 72"
SUPERIOR ESSEX	864	OUTDOOR, RIBBON, SINGLE-ARMOR, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	2,852	1,864	48"L X 84"
PRYSMIAN	864	OUTDOOR, RIBBON, NON-ARMORED, SINGLE-JACKET W/ CORNING SMF28E COMPLIANT GLASS (ESMF)	5,692	2,721 LBS	48"L X 72"
PRYSMIAN	864	OUTDOOR, RIBBON, NON-ARMORED, SINGLE-JACKET W/ CORNING SMF28E COMPLIANT GLASS (ESMF)	5,026	1,773 LBS	49"L X 72"
SUPERIOR ESSEX	576	OUTDOOR, RIBBON, SINGLE-ARMOR, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	4,940	3,560	48"L X 84"
SUPERIOR ESSEX	576	OUTDOOR, RIBBON, SINGLE-ARMOR, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	2,428	1,105	48"L X 72"
PRYSMIAN	576	OUTDOOR, RIBBON, NON-ARMORED, SINGLE-JACKET W/ CORNING SMF28E COMPLIANT GLASS (ESMF)	6,667	2,944 LBS	40"L X 72"
PRYSMIAN	576	OUTDOOR, RIBBON, NON-ARMORED, SINGLE-JACKET W/ CORNING SMF28E COMPLIANT GLASS (ESMF)	6,602	2,922 LBS	40"L X 72"
SUPERIOR ESSEX	432	OUTDOOR, LOOSE-TUBE, SINGLE-ARMOR, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	3,040	1,924 LBS	54"L X 84"
OFS	432	OUTDOOR, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET, 12AWG COPPER CONDUCTOR W/ ALLWAVE ESMF GLASS (CORNING SMF28E COMPLIANT)	6,894	2,599 LBS	46"L X 84"
SUPERIOR ESSEX	432	OUTDOOR, RIBBON, SINGLE-ARMOR, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	4,362	1,462	48"L X 84"
OFS	432	OUTDOOR, RIBBON, SINGLE-ARMOR, SINGLE-JACKET W/ ALLWAVE ESMF GLASS (CORNING SMF28E COMPLIANT)	3,952	2,550 LBS	96"L X 54"
OFS	432	OUTDOOR, RIBBON, SINGLE-ARMOR, SINGLE-JACKET W/ ALLWAVE+ ZERO WATER PEAK FIBER (CORNING SMF28E COMPLIANT)	3,788	2,144 LBS	96"L X 54"
SUPERIOR ESSEX	432	OUTDOOR, RIBBON, SINGLE-ARMOR, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	3,618	1,798	48"L X 84"
SUPERIOR ESSEX	432	OUTDOOR, RIBBON, SINGLE-ARMOR, SINGLE-JACKET W/ ZERO WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	3,494	1,477	48"L X 72"
SUPERIOR ESSEX	432	OUTDOOR, RIBBON, SINGLE-ARMOR, SINGLE-JACKET W/ ZERO WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	3,476	1,877	48"L X 84"
SUPERIOR ESSEX	432	OUTDOOR, RIBBON, SINGLE-ARMOR, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	3,336	1,734	48"L X 84"
OFS	432	OUTDOOR, RIBBON, SINGLE-ARMOR, SINGLE-JACKET W/ ALLWAVE ESMF GLASS (CORNING SMF28E COMPLIANT)	2,084	1,977 LBS	96"L X 54"
OFS	432	OUTDOOR, RIBBON, SINGLE-ARMOR, SINGLE-JACKET W/ ALLWAVE+ ZERO WATER PEAK FIBER (CORNING SMF28E COMPLIANT)	2,060	1,968 LBS	96"L X 54"
OFS	432	OUTDOOR, RIBBON, SINGLE-ARMOR, SINGLE-JACKET W/ ALLWAVE ESMF GLASS (CORNING SMF28E COMPLIANT)	1,581	0	96"L X 54"
OFS	432	OUTDOOR, RIBBON, SINGLE-ARMOR, SINGLE-JACKET W/ ALLWAVE+ ZERO WATER PEAK FIBER (CORNING SMF28E COMPLIANT)	1,399	1,774 LBS	96"L X 54"
OFS	432	OUTDOOR, RIBBON, SINGLE-ARMOR, SINGLE-JACKET W/ ALLWAVE+ ZERO WATER PEAK FIBER (CORNING SMF28E COMPLIANT)	1,202	0	96"L X 54"
OFS	432	OUTDOOR, RIBBON, SINGLE-ARMOR, SINGLE-JACKET W/ ALLWAVE ESMF GLASS (CORNING SMF28E COMPLIANT)	1,171	0	96"L X 54"
OFS	432	OUTDOOR, RIBBON, SINGLE-ARMOR, SINGLE-JACKET W/ ALLWAVE ESMF GLASS (CORNING SMF28E COMPLIANT)	1,128	1,140 LBS	96"L X 54"
OFS	432	OUTDOOR, RIBBON, SINGLE-ARMOR, SINGLE-JACKET W/ ALLWAVE+ ZERO WATER PEAK FIBER (CORNING SMF28E COMPLIANT)	1,089	0	96"L X 54"
SUPERIOR ESSEX	432	OUTDOOR, RIBBON, NON-ARMORED, SINGLE-JACKET W/ ZERO WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	5,562	1,864 LBS	48"L X 84"
SUPERIOR ESSEX	432	OUTDOOR, RIBBON, NON-ARMORED, SINGLE-JACKET W/ ZERO WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	2,818	712	40"L X 48"
SUPERIOR ESSEX	288	OUTDOOR, LOOSE-TUBE, SINGLE-ARMOR, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	5,866	2,533	48"W X 72"
SUPERIOR ESSEX	288	OUTDOOR, LOOSE-TUBE, SINGLE-ARMOR, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	5,850	2,447	40"L X 60"
SUPERIOR ESSEX	288	OUTDOOR, LOOSE-TUBE, SINGLE-ARMOR, DOUBLE-JACKET W/ CORNING ULTRA GLASS (CORNING SMF28E COMPLIANT ESMF)	5,643	1,851 LBS	44"L X 60"
SUPERIOR ESSEX	288	OUTDOOR, LOOSE-TUBE, SINGLE-ARMOR, DOUBLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	2,224	1,131 LBS	48"L X 72"
SUPERIOR ESSEX	288	OUTDOOR, LOOSE-TUBE, SINGLE-ARMOR, DOUBLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	2,162	1,115 LBS	48"L X 72"
SUPERIOR ESSEX	288	OUTDOOR, ADSS, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	7,418	2,194	48"W X 84"
SUPERIOR ESSEX	288	OUTDOOR, ADSS, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	6,570	2,055	48"W X 84"
SUPERIOR ESSEX	288	OUTDOOR, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	5,788	1,258	48"L X 72"
SUPERIOR ESSEX	288	OUTDOOR, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET W/ CORNING SMF28E ULTRA GLASS (CORNING SMF28E COMPLIANT ESMF)	5,450	1,173	44"L X 60"
SUPERIOR ESSEX	288	OUTDOOR, ADSS, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	4,928	1,362	48"W X 72"
COMMSCOPE	288	OUTDOOR, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET W/ SM BIF FIBER G.657.A1 (CORNING SMF28E COMPLIANT GLASS)	4,446	1,011	36"L X 54"
SUPERIOR ESSEX	288	OUTDOOR, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET W/ ZERO WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	4,262	1,497	48"L X 84"
COMMSCOPE	288	OUTDOOR, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET W/ SM BIF FIBER G.657.A1 (CORNING SMF28E COMPLIANT GLASS)	4,000	724	42"L X 48"
SUPERIOR ESSEX	288	OUTDOOR, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET W/ CORNING SMF28E GLASS (ESMF)	3,682	1,327 LBS	48"L X 60"
PRYSMIAN	288	OUTDOOR, RIBBON, SINGLE-ARMOR, DOUBLE-JACKET, 20AWG COPPER PAIR W/ CORNING SMF28E GLASS (ESMF)	3,565	2,013 LBS	72"L X 36"
SUPERIOR ESSEX	216	OUTDOOR, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET W/ ZERO WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	18,098	2,872 LBS	50"L X 96"
SUPERIOR ESSEX	216	OUTDOOR, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET W/ ZERO WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	9,874	1,867 LBS	48"L X 84"
SUPERIOR ESSEX	216	OUTDOOR, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET W/ CORNING SMF28E ULTRA COMPATIBLE GLASS (CORNING SMF28E COMPLIANT ESMF)	8,870	1,481 LBS	48"L X 72"
SUPERIOR ESSEX	216	OUTDOOR, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET W/ ZERO WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	4,078	623	40"L X 48"
PRYSMIAN	216	OUTDOOR, RIBBON, SINGLE-ARMOR, SINGLE-JACKET W/ CORNING SMF28E GLASS (ESMF)	6,703	1,579 LBS	60"L X 48"
SUPERIOR ESSEX	216	OUTDOOR, RIBBON, SINGLE-ARMOR, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	3,726	1,414 LBS	72"L X 42"
SUPERIOR ESSEX	216	OUTDOOR, RIBBON, SINGLE-ARMOR, SINGLE-JACKET W/ ZERO WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	3,016	1,497 LBS	54"L X 84"
PRYSMIAN	216	OUTDOOR, RIBBON, NON-ARMORED, SINGLE-JACKET W/ CORNING SMF28E GLASS (ESMF)	5,771	1,224 LBS	43"L X 60"

SUPERIOR ESSEX	216	OUTDOOR, RIBBON, NON-ARMORED, SINGLE-JACKET W/ CORNING SMF28E ULTRA GLASS (CORNING SMF28E COMPLIANT ESMF)	4,158	1,136 LBS	*48" X 72"
SUPERIOR ESSEX	216	OUTDOOR, RIBBON, NON-ARMORED, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	3,406	1,178 LBS	48" X 72"
SUPERIOR ESSEX	216	OUTDOOR, RIBBON, NON-ARMORED, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	3,406	875 LBS	60" X 48"
SUPERIOR ESSEX	216	OUTDOOR, RIBBON, NON-ARMORED, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	3,298	1,016 LBS	48" X 60"
SUPERIOR ESSEX	216	OUTDOOR, RIBBON, NON-ARMORED, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	3,244	933 LBS	72" X 48"
SUPERIOR ESSEX	216	OUTDOOR, RIBBON, NON-ARMORED, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	2,098	1,201 LBS	48" X 84"
COMMSCOPE	192	OUTDOOR, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET W/ CORNING SMF28E ULTRA GLASS (CORNING SMF28E COMPLIANT ESMF)	10,112	1,315 LBS	48" X 60"
SUPERIOR ESSEX	192	OUTDOOR, RIBBON, SINGLE-ARMOR, SINGLE-JACKET W/ ZERO WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	3,006	1,007 LBS	60" X 48"
SUPERIOR ESSEX	192	OUTDOOR, RIBBON, SINGLE-ARMOR, SINGLE-JACKET W/ ZERO WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	2,724	951 LBS	60" X 48"
SUPERIOR ESSEX	192	OUTDOOR, RIBBON, SINGLE-ARMOR, SINGLE-JACKET W/ ZERO WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	2,614	1,010 LBS	72" X 48"
SUPERIOR ESSEX	192	OUTDOOR, RIBBON, SINGLE-ARMOR, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	2,208	850 LBS	60" X 48"
SUPERIOR ESSEX	192	OUTDOOR, RIBBON, SINGLE-ARMOR, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	2,166	922 LBS	72" X 48"
DRAKA	168	OUTDOOR, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET W/ CORNING SMF28E COMPLIANT GLASS (ESMF)	5,280	787 LBS	40" X 48"
SUPERIOR ESSEX	144	OUTDOOR, FIGURE-8, LOOSE-TUBE, SINGLE-ARMOR, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	9,794	3,901	48" X 84"
SUPERIOR ESSEX	144	OUTDOOR, FIGURE-8, LOOSE-TUBE, SINGLE-ARMOR, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	5,124	2,508	48" X 84"
SUPERIOR ESSEX	144	OUTDOOR, FIGURE-8, LOOSE-TUBE, SINGLE-ARMOR, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	4,880	1,932	48" X 60"
SUPERIOR ESSEX	144	OUTDOOR, LOOSE-TUBE, SINGLE-ARMOR, DOUBLE-JACKET W/ CORNING SMF28E GLASS (ESMF)	4,626	1,288	40" X 48"
SUPERIOR ESSEX	144	OUTDOOR, LOOSE-TUBE, SINGLE-ARMOR, DOUBLE-JACKET W/ CORNING SMF28E GLASS (ESMF)	4,430	1,243	40" X 48"
SUPERIOR ESSEX	144	OUTDOOR, LOOSE-TUBE, SINGLE-ARMOR, DOUBLE-JACKET W/ CORNING SMF28E GLASS (ESMF)	4,374	1,230	40" X 48"
SUPERIOR ESSEX	144	OUTDOOR, LOOSE-TUBE, SINGLE-ARMOR, DOUBLE-JACKET W/ CORNING SMF28E GLASS (ESMF)	3,530	1,036	40" X 48"
COMMSCOPE	144	OUTDOOR, LOOSE-TUBE, SINGLE-ARMOR, SINGLE-JACKET W/ SM BIF FIBER G.657.A1 (CORNING SMF28E COMPLIANT GLASS)	2,864	577	33" X 42"
SUPERIOR ESSEX	144	OUTDOOR, LOOSE-TUBE, SINGLE-ARMOR, DOUBLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	2,398	1,008	40" X 60"
SUPERIOR ESSEX	144	OUTDOOR, ADSS, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	10,857	1,005	40" X 60"
SUPERIOR ESSEX	144	OUTDOOR, ADSS, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	9,564	2,451	48" X 84"
SUPERIOR ESSEX	144	OUTDOOR, ADSS, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	7,222	811	40" X 60"
SUPERIOR ESSEX	144	OUTDOOR, ADSS, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	6,621	891	48" X 72"
SUPERIOR ESSEX	144	OUTDOOR, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET W/ ZERO WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	5,096	1,181	48" X 72"
SUPERIOR ESSEX	144	OUTDOOR, ADSS, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	4,958	1,743	48" X 84"
COMMSCOPE	144	OUTDOOR, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET W/ ZERO WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	4,570	669	33" X 42"
SUPERIOR ESSEX	144	OUTDOOR, FIGURE-8, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET, YELLOW STRIPE W/ RWP ESMF GLASS (CORNING SMF28E COMPLIANT ESMF)	4,538	2,143 LBS	48" X 48"
SUPERIOR ESSEX	144	OUTDOOR, ADSS, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	3,596	681 LBS	40" X 48"
COMMSCOPE	144	OUTDOOR, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET, MICRO CABLE W/ ZERO WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	3,480	280 LBS	40" X 48"
COMMSCOPE	144	OUTDOOR, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET, MICRO CABLE W/ ZERO WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	3,198	280 LBS	40" X 48"
COMMSCOPE	144	OUTDOOR, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET, MICRO CABLE W/ ZERO WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	3,120	280 LBS	40" X 48"
COMMSCOPE	144	OUTDOOR, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET, MICRO CABLE W/ ZERO WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	3,032	280 LBS	32" X 48"
COMMSCOPE	144	OUTDOOR, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET, MICRO CABLE W/ ZERO WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	2,805	280 LBS	40" X 48"
COMMSCOPE	144	OUTDOOR, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET, MICRO CABLE W/ ZERO WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	2,804	280 LBS	40" X 48"
SUPERIOR ESSEX	144	OUTDOOR, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	2,648	1,270	48" X 84"
OFS	144	OUTDOOR, ADSS, SHORT SPAN, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET, W/ ALLWAVE ZWP ESMF GLASS (CORNING SMF28E COMPLIANT)	2,524	947 LBS	48" X 54"
SUPERIOR ESSEX	144	OUTDOOR, RIBBON, SINGLE-ARMOR, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	3,434	1,593	48" X 84"
SUPERIOR ESSEX	144	OUTDOOR, RIBBON, SINGLE-ARMOR, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	3,348	1,154	48" X 72"
SUPERIOR ESSEX	144	OUTDOOR, RIBBON, NON-ARMORED, SINGLE-JACKET W/ CORNING SMF28E GLASS (ESMF)	5,628	1,224 LBS	48" X 72"
SUPERIOR ESSEX	144	OUTDOOR, RIBBON, NON-ARMORED, SINGLE-JACKET W/ CORNING SMF28E GLASS (ESMF)	5,206	1,174 LBS	48" X 72"
SUPERIOR ESSEX	144	OUTDOOR, RIBBON, NON-ARMORED, SINGLE-JACKET W/ CORNING SMF28E GLASS (ESMF)	4,756	1,041 LBS	44" X 60"
SUPERIOR ESSEX	144	OUTDOOR, RIBBON, NON-ARMORED, SINGLE-JACKET W/ CORNING SMF28E GLASS (ESMF)	4,756	1,545	48" X 84"
SUPERIOR ESSEX	120	OUTDOOR, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET W/ ZERO WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	3,318	539	40" X 40"
SUPERIOR ESSEX	120	OUTDOOR, RIBBON, SINGLE-ARMOR, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	5,130	636 LBS	42" X 61"
SUPERIOR ESSEX	120	OUTDOOR, RIBBON, SINGLE-ARMOR, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	4,364	952 LBS	40" X 48"
SUPERIOR ESSEX	96	OUTDOOR, FIGURE-8, LOOSE-TUBE, SINGLE-ARMOR, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	9,934	3,943	48" X 84"
SUPERIOR ESSEX	96	OUTDOOR, FIGURE-8, LOOSE-TUBE, SINGLE-ARMOR, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	5,934	2,226	48" X 60"
SUPERIOR ESSEX	96	OUTDOOR, FIGURE-8, LOOSE-TUBE, SINGLE-ARMOR, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	5,716	2,161	48" X 60"
SUPERIOR ESSEX	96	OUTDOOR, FIGURE-8, LOOSE-TUBE, SINGLE-ARMOR, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	4,920	1,924	48" X 60"
SUPERIOR ESSEX	96	OUTDOOR, FIGURE-8, LOOSE-TUBE, SINGLE-ARMOR, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	4,716	1,863	48" X 60"

SUPERIOR ESSEX	96	OUTDOOR, FIGURE-8, LOOSE-TUBE, SINGLE-ARMOR, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	4,642	2,365	48"L X 84"
SUPERIOR ESSEX	96	OUTDOOR, LOOSE-TUBE, SINGLE-ARMOR, SINGLE-JACKET W/ ZERO WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	4,351	688	40"L X 48"
SUPERIOR ESSEX	96	OUTDOOR, FIGURE-8, LOOSE-TUBE, SINGLE-ARMOR, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	4,280	1,501	40"L X 48"
SUPERIOR ESSEX	96	OUTDOOR, LOOSE-TUBE, SINGLE-ARMOR, DOUBLE-JACKET W/ CORNING SMF28E GLASS (ESMF)	3,327	777	40"L X 48"
SUPERIOR ESSEX	96	OUTDOOR, HYBRID, LOOSE-TUBE, SINGLE-ARMOR, SINGLE-JACKET W/ 72 RWP ESMF // 24-CORNING LEAF NZDS FIBERS	2,872	543 LBS	48"L X 36"
SUPERIOR ESSEX	96	OUTDOOR, ADSS, 150 METER SPAN, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	13,035	1,503	44"L X 60"
SUPERIOR ESSEX	96	OUTDOOR, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET W/ CORNING SMF28E ULTRA GLASS (CORNING SMF28E COMPLIANT ESMF)	8,723	1,087 LBS	48"L X 72"
SUPERIOR ESSEX	96	OUTDOOR, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET W/ ZERO WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	6,684	551	40"L X 40"
CORNING	96	OUTDOOR, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET, MICRO CABLE W/ CORNING SMF28E ULTRA GLASS (CORNING SMF28E COMPLIANT ESMF)	6,420	280 LBS	41"L X 44"
SUPERIOR ESSEX	96	OUTDOOR, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET W/ TERAFLX RWP ESMF FIBER G.652D/G.657.A1 (CORNING SMF28E ULTRA COMPLIANT GLASS)	6,016	701 LBS	40"L X 48"
CORNING	96	OUTDOOR, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET, MICRO CABLE W/ CORNING SMF28E ULTRA GLASS (CORNING SMF28E COMPLIANT ESMF)	5,612	380 LBS	40"L X 44"
SUPERIOR ESSEX	96	OUTDOOR, HYBRID, MICRO, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET, (4) 16AWG COPPER W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	5,520	669	40"L X 48"
COMMSCOPE	96	OUTDOOR, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET, MICRO CABLE W/ ZERO WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	5,260	280 LBS	26"L X 36"
CORNING	96	OUTDOOR, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET, MICRO CABLE W/ CORNING SMF28E ULTRA GLASS (CORNING SMF28E COMPLIANT ESMF)	5,000	?	
CORNING	96	OUTDOOR, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET, MICRO CABLE W/ CORNING SMF28E ULTRA GLASS (CORNING SMF28E COMPLIANT ESMF)	5,000	?	
COMMSCOPE	96	OUTDOOR, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET, MICRO CABLE W/ ZERO WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	4,912	380 LBS	40"L X 44"
COMMSCOPE	96	OUTDOOR, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET, MICRO CABLE W/ ZERO WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	4,466	301	33"L X 42"
COMMSCOPE	96	OUTDOOR, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET, MICRO CABLE W/ ZERO WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	4,220	248 LBS	33"L X 44"
COMMSCOPE	96	OUTDOOR, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET, MICRO CABLE W/ ZERO WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	4,068	280 LBS	40"L X 44"
COMMSCOPE	96	OUTDOOR, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET, MICRO CABLE W/ ZERO WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	3,958	288	33"L X 44"
COMMSCOPE	96	OUTDOOR, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET, MICRO CABLE W/ ZERO WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	3,763	283	33"L X 42"
COMMSCOPE	96	OUTDOOR, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET, MICRO CABLE W/ ZERO WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	3,520	280 LBS	32"L X 44"
COMMSCOPE	96	OUTDOOR, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET, MICRO CABLE W/ ZERO WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	3,480	280 LBS	26"L X 36"
COMMSCOPE	96	OUTDOOR, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET, MICRO CABLE W/ ZERO WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	3,282	231	25"L X 36"
COMMSCOPE	96	OUTDOOR, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET, MICRO CABLE W/ ZERO WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	3,130	280 LBS	40"L X 44"
COMMSCOPE	96	OUTDOOR, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET, MICRO CABLE W/ ZERO WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	3,124	280 LBS	33"L X 44"
COMMSCOPE	96	OUTDOOR, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET, MICRO CABLE W/ ZERO WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	3,114	266	33"L X 42"
COMMSCOPE	96	OUTDOOR, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET, MICRO CABLE W/ ZERO WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	3,028	280 LBS	40"L X 44"
CORNING	96	OUTDOOR, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET, MICRO CABLE W/ CORNING SMF28E ULTRA GLASS (CORNING SMF28E COMPLIANT ESMF)	2,500	?	
COMMSCOPE	96	OUTDOOR, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET, MICRO CABLE W/ ZERO WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	2,146	280 LBS	26"L X 36"
COMMSCOPE	96	OUTDOOR, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET, MICRO CABLE W/ ZERO WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	1,640	280 LBS	32"L X 44"
SUPERIOR ESSEX	96	OUTDOOR, RIBBON, SINGLE-ARMOR, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	5,391	984	40"L X 48"
SUPERIOR ESSEX	96	OUTDOOR, RIBBON, SINGLE-ARMOR, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	4,902	1,147	44"L X 60"
SUPERIOR ESSEX	96	OUTDOOR, RIBBON, SINGLE-ARMOR, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	4,674	1,135	44"L X 60"
SUPERIOR ESSEX	96	OUTDOOR, RIBBON, SINGLE-ARMOR, SINGLE-JACKET W/ ZERO WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	4,542	1,731	48"L X 84"
SUPERIOR ESSEX	96	OUTDOOR, RIBBON, SINGLE-ARMOR, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	4,328	754	40"L X 40"
SUPERIOR ESSEX	96	OUTDOOR, RIBBON, NON-ARMORED, SINGLE-JACKET W/ CORNING SMF28E ULTRA COMPATIBLE GLASS (CORNING SMF28E COMPLIANT ESMF)	13,994	2,418 LBS	48"L X 84"
SUPERIOR ESSEX	96	OUTDOOR, RIBBON, NON-ARMORED, SINGLE-JACKET W/ CORNING SMF28E GLASS (ESMF)	4,076	712 LBS	48"L X 48"
SUPERIOR ESSEX	72	OUTDOOR, FIGURE-8, LOOSE-TUBE, SINGLE-ARMOR, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	5,968	2,004 LBS	40"L X 48"
SUPERIOR ESSEX	72	OUTDOOR, FIGURE-8, LOOSE-TUBE, SINGLE-ARMOR, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	3,864	2,133 LBS	48"L X 84"
SUPERIOR ESSEX	72	OUTDOOR, FIGURE-8, LOOSE-TUBE, SINGLE-ARMOR, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	3,708	1,250	40"L X 40"
SUPERIOR ESSEX	72	OUTDOOR, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET W/ CORNING SMF28E ULTRA GLASS (CORNING SMF28E COMPLIANT ESMF)	16,338	1,292	48"L X 72"
SUPERIOR ESSEX	72	OUTDOOR, ADSS, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	6,324	869 LBS	44"L X 60"
SUPERIOR ESSEX	72	OUTDOOR, RIBBON, SINGLE-ARMOR, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	4,594	1,083	48"L X 72"
SUPERIOR ESSEX	72	OUTDOOR, RIBBON, SINGLE-ARMOR, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	4,456	1,491	48"L X 84"
SUPERIOR ESSEX	72	OUTDOOR, RIBBON, SINGLE-ARMOR, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	2,568	464 LBS	36"L X 36"
SUPERIOR ESSEX	72	OUTDOOR, RIBBON, SINGLE-ARMOR, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	2,478	475 LBS	40"L X 40"
PIRELLI / PRYSMIAN	72	INDOOR CABLE, RIBBON, NON-ARMORED, SINGLE-JACKET, RISER-RATED (OFNR) W/ STANDARD SINGLE-MODE FIBER	19,865	2,980 LBS	48"L X 44"
SUPERIOR ESSEX	72	OUTDOOR, RIBBON, NON-ARMORED, SINGLE-JACKET W/ CORNING SMF28E GLASS (ESMF)	5,521	715 LBS	42"L X 44"
SUPERIOR ESSEX	72	OUTDOOR, RIBBON, NON-ARMORED, SINGLE-JACKET W/ CORNING SMF28E+ GLASS (ESMF)	5,394	962 LBS	48"L X 60"
SUPERIOR ESSEX	72	OUTDOOR, RIBBON, NON-ARMORED, SINGLE-JACKET W/ CORNING SMF28E GLASS (ESMF)	5,010	666 LBS	42"L X 44"
COMMSCOPE	60	OUTDOOR, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E ULTRA COMPLIANT ESMF)	15,034	947 LBS	40"L X 48"
COMMSCOPE	60	OUTDOOR, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E ULTRA COMPLIANT ESMF)	14,480	921 LBS	40"L X 48"

COMMSCOPE	60	OUTDOOR, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E ULTRA COMPLIANT ESMF)	14,144	945	40"L X 48"
SUPERIOR ESSEX	60	OUTDOOR, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET W/ CORNING SMF28E GLASS (ESMF)	13,831	1,181 LBS	48"L X 72"
COMMSCOPE	60	OUTDOOR, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E ULTRA COMPLIANT ESMF)	8,430	542 LBS	33"L X 48"
SUPERIOR ESSEX	48	OUTDOOR, LOOSE-TUBE, SINGLE-ARMOR, SINGLE-JACKET W/ ZERO WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	3,626	419	40"L X 40"
SUPERIOR ESSEX	48	OUTDOOR, ADSS, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	3,560	413	40"L X 48"
SUPERIOR ESSEX	48	OUTDOOR, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET W/ ZERO WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	3,094	581	40"L X 60"
SUPERIOR ESSEX	48	OUTDOOR, RIBBON, SINGLE-ARMOR, SINGLE-JACKET W/ CORNING SMF28E ULTRA GLASS (CORNING SMF28E COMPLIANT ESMF)	6,830	1,379 LBS	44"L X 60"
SUPERIOR ESSEX	48	OUTDOOR, RIBBON, SINGLE-ARMOR, SINGLE-JACKET W/ CORNING SMF28E ULTRA GLASS (CORNING SMF28E COMPLIANT ESMF)	6,446	1,952 LBS	50"L X 96"
SUPERIOR ESSEX	48	OUTDOOR, RIBBON, SINGLE-ARMOR, SINGLE-JACKET W/ CORNING SMF28E ULTRA GLASS (CORNING SMF28E COMPLIANT ESMF)	4,872	868	40"L X 48"
SUPERIOR ESSEX	48	OUTDOOR, RIBBON, SINGLE-ARMOR, SINGLE-JACKET W/ CORNING SMF28E ULTRA GLASS (CORNING SMF28E COMPLIANT ESMF)	4,362	801	40"L X 48"
SUPERIOR ESSEX OFS	48	OUTDOOR, RIBBON, NON-ARMORED, SINGLE-JACKET W/ ALLWAVE+ ZERO WATER PEAK FIBER (CORNING SMF28E COMPLIANT)	7,694	472 LBS	48"L X 48"
SUPERIOR ESSEX	48	OUTDOOR, RIBBON, NON-ARMORED, SINGLE-JACKET W/ CORNING SMF28E ULTRA GLASS (CORNING SMF28E COMPLIANT ESMF)	4,652	559 LBS	40"L X 48"
SUPERIOR ESSEX	48	OUTDOOR, RIBBON, NON-ARMORED, SINGLE-JACKET W/ CORNING SMF28E ULTRA GLASS (CORNING SMF28E COMPLIANT ESMF)	3,291	461 LBS	40"L X 48"
SUPERIOR ESSEX	36	OUTDOOR, LOOSE-TUBE, SINGLE-ARMOR, DOUBLE-JACKET W/ CORNING SMF28E ULTRA GLASS (CORNING SMF28E COMPLIANT ESMF)	19,779	2,818 LBS	48"L X 72"
SUPERIOR ESSEX	36	OUTDOOR, LOOSE-TUBE, SINGLE-ARMOR, DOUBLE-JACKET W/ CORNING ULTRA SMF28E+ REDUCED WATER PEAK FIBER (ESMF)	19,738	3,351	48"W X 8"
SUPERIOR ESSEX	36	OUTDOOR, LOOSE-TUBE, SINGLE-ARMOR, DOUBLE-JACKET W/ CORNING ULTRA SMF28E+ REDUCED WATER PEAK FIBER (ESMF)	14,268	2,270	48"W X 7"
SUPERIOR ESSEX	36	OUTDOOR, LOOSE-TUBE, SINGLE-ARMOR, SINGLE-JACKET W/ BI 300 METER 10G OM3 (50/125) MULTI-MODE GLASS	6,706	1,028	44"L X 60"
COMMSCOPE	36	OUTDOOR, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E ULTRA COMPLIANT ESMF)	15,800	1,063	40"L X 48"
COMMSCOPE	36	OUTDOOR, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E ULTRA COMPLIANT ESMF)	15,598	1,053	40"L X 48"
COMMSCOPE	36	OUTDOOR, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E ULTRA COMPLIANT ESMF)	15,578	1,053	40"L X 48"
COMMSCOPE	36	OUTDOOR, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET, MICRO CABLE W/ ZERO WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	15,440	401	33"L X 42"
COMMSCOPE	36	OUTDOOR, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E ULTRA COMPLIANT ESMF)	15,018	1,026	40"L X 48"
CORNING	36	OUTDOOR, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET, MICRO CABLE W/ CORNING SMF28E ULTRA GLASS (CORNING SMF28E COMPLIANT ESMF)	6,000	?	
CORNING	36	OUTDOOR, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET, MICRO CABLE W/ CORNING SMF28E ULTRA GLASS (CORNING SMF28E COMPLIANT ESMF)	6,000	?	
CORNING	36	OUTDOOR, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET, MICRO CABLE W/ CORNING SMF28E ULTRA GLASS (CORNING SMF28E COMPLIANT ESMF)	6,000	?	
CORNING	36	OUTDOOR, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET, MICRO CABLE W/ CORNING SMF28E ULTRA GLASS (CORNING SMF28E COMPLIANT ESMF)	6,000	?	
COMMSCOPE	36	OUTDOOR, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E ULTRA COMPLIANT ESMF)	4,776	449	33"L X 42"
SUPERIOR ESSEX	36	OUTDOOR, RIBBON, SINGLE-ARMOR, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	5,376	1,182	44"L X 60"
SUPERIOR ESSEX	36	OUTDOOR, RIBBON, SINGLE-ARMOR, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	4,584	1,078	44"L X 60"
MOHAWK / CDT	36	INDOOR CABLE, TIGHT-BUFFERED DISTRIBUTION CABLE, NON-ARMORED, SINGLE-JACKET, PLENUM-RATED W/ OM1 (62.5/125) MULTI-MODE GLASS	2,000	350 LBS	48"L X 48"
SUPERIOR ESSEX	24	OUTDOOR, LOOSE-TUBE, DOUBLE-ARMOR, TRIPLE-JACKET, REDUCED DIAMETER W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	7,492	2,272	48"L X 72"
SUPERIOR ESSEX	24	OUTDOOR, LOOSE-TUBE, DOUBLE-ARMOR, TRIPLE-JACKET, REDUCED DIAMETER W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	3,212	1,292	48"L X 72"
SUPERIOR ESSEX	24	OUTDOOR, LOOSE-TUBE, SINGLE-ARMOR, DOUBLE-JACKET W/ CORNING SMF28E ULTRA GLASS (CORNING SMF28E COMPLIANT ESMF)	8,486	1,825 LBS	44"L X 60"
SUPERIOR ESSEX	24	INDOOR/OUTDOOR, LOOSE-TUBE, SINGLE-ARMOR, (LSZH) RATED SINGLE-JACKET W/ ZERO WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	8,074	1,509	44"L X 60"
SUPERIOR ESSEX	24	OUTDOOR, LOOSE-TUBE, SINGLE-ARMOR, DOUBLE-JACKET W/ CORNING SMF28E ULTRA GLASS (CORNING SMF28E COMPLIANT ESMF)	3,090	1,047	48"W X 7"
SUPERIOR ESSEX	24	OUTDOOR, ADSS, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	13,654	1,219 LBS	48"L X 72"
SUPERIOR ESSEX	24	OUTDOOR, ADSS, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	10,046	1,042 LBS	44"L X 60"
SUPERIOR ESSEX	24	OUTDOOR, ADSS, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	8,203	639	40"L X 48"
SUPERIOR ESSEX	24	OUTDOOR, ADSS, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	8,203	639	40"L X 48"
SUPERIOR ESSEX	24	OUTDOOR, ADSS, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	8,203	639	40"L X 48"
SUPERIOR ESSEX	24	OUTDOOR, ADSS, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	8,203	639	40"L X 48"
SUPERIOR ESSEX	24	OUTDOOR, ADSS, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	8,203	639	40"L X 48"
SUPERIOR ESSEX	24	OUTDOOR, ADSS, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	8,203	639	40"L X 48"
SUPERIOR ESSEX	24	OUTDOOR, ADSS, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	8,203	639	40"L X 48"
SUPERIOR ESSEX	24	OUTDOOR, ADSS, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	8,203	639	40"L X 48"
SUPERIOR ESSEX	24	OUTDOOR, ADSS, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	8,203	639	40"L X 48"
SUPERIOR ESSEX	24	OUTDOOR, ADSS, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	8,203	639	40"L X 48"
SUPERIOR ESSEX	24	OUTDOOR, ADSS, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	8,203	639	40"L X 48"
SUPERIOR ESSEX	24	OUTDOOR, ADSS, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	5,982	839 LBS	48"L X 72"
COMMSCOPE	24	OUTDOOR, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET W/ SM BIF FIBER G.657.A1 (CORNING SMF28E COMPLIANT GLASS)	5,502	444	33"L X 42"
SUPERIOR ESSEX	24	OUTDOOR, ADSS, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	4,387	1,138	48"W X 7"
COMMSCOPE	24	OUTDOOR, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET W/ ZERO WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	3,972	364	33"L X 42"
COMMSCOPE	24	OUTDOOR, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET W/ SM BIF FIBER G.657.A1 (CORNING SMF28E COMPLIANT GLASS)	3,907	369	33"L X 42"
COMMSCOPE	24	OUTDOOR, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET W/ ZERO WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	3,658	350	33"L X 42"

SUPERIOR ESSEX	24	OUTDOOR, RIBBON, SINGLE-ARMOR, SINGLE-JACKET W/ ZERO WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	5,404	1,238 LBS	48" L X 72"
SUPERIOR ESSEX	24	OUTDOOR, RIBBON, SINGLE-ARMOR, SINGLE-JACKET W/ ZERO WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	5,398	1,568 LBS	48" L X 84"
SUPERIOR ESSEX	24	OUTDOOR, RIBBON, SINGLE-ARMOR, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	5,010	706 LBS	40" L X 40"
SUPERIOR ESSEX	24	OUTDOOR, RIBBON, SINGLE-ARMOR, SINGLE-JACKET W/ ZERO WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	4,930	705 LBS	48" L X 40"
SUPERIOR ESSEX	24	OUTDOOR, RIBBON, SINGLE-ARMOR, SINGLE-JACKET W/ ZERO WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	4,834	1,213 LBS	48" L X 72"
SUPERIOR ESSEX	24	OUTDOOR, RIBBON, SINGLE-ARMOR, SINGLE-JACKET W/ ZERO WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	4,610	990 LBS	48" L X 60"
SUPERIOR ESSEX	24	OUTDOOR, RIBBON, SINGLE-ARMOR, SINGLE-JACKET W/ CORNING SMF28E ULTRA GLASS (CORNING SMF28E COMPLIANT ESMF)	4,542	1,475	48" L X 84"
SUPERIOR ESSEX	24	OUTDOOR, RIBBON, SINGLE-ARMOR, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	4,462	1,400 LBS	48" L X 84"
OFS	24	OUTDOOR, RIBBON, SINGLE-ARMOR, SINGLE-JACKET W/ ALLWAVE+ ZERO WATER PEAK FIBER (CORNING SMF28E COMPLIANT)	4,298	624 LBS	48" L X 40"
SUPERIOR ESSEX	24	OUTDOOR, RIBBON, SINGLE-ARMOR, SINGLE-JACKET W/ ZERO WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	4,018	542 LBS	40" L X 40"
SUPERIOR ESSEX	24	OUTDOOR, RIBBON, SINGLE-ARMOR, SINGLE-JACKET W/ ZERO WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	3,898	528 LBS	40" L X 40"
SUPERIOR ESSEX	24	OUTDOOR, RIBBON, SINGLE-ARMOR, SINGLE-JACKET W/ ZERO WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	3,854	524 LBS	40" L X 40"
SUPERIOR ESSEX	24	OUTDOOR, RIBBON, SINGLE-ARMOR, SINGLE-JACKET W/ ZERO WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	3,832	521 LBS	40" L X 40"
SUPERIOR ESSEX	24	OUTDOOR, RIBBON, SINGLE-ARMOR, SINGLE-JACKET W/ ZERO WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	3,822	520 LBS	40" L X 40"
SUPERIOR ESSEX	24	OUTDOOR, RIBBON, SINGLE-ARMOR, SINGLE-JACKET W/ ZERO WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	3,766	514 LBS	40" L X 40"
SUPERIOR ESSEX	24	OUTDOOR, RIBBON, SINGLE-ARMOR, SINGLE-JACKET W/ ZERO WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	3,728	510 LBS	40" L X 40"
SUPERIOR ESSEX	24	OUTDOOR, RIBBON, SINGLE-ARMOR, SINGLE-JACKET W/ ZERO WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	3,666	503 LBS	40" L X 40"
SUPERIOR ESSEX	24	OUTDOOR, RIBBON, SINGLE-ARMOR, SINGLE-JACKET W/ ZERO WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	3,310	544 LBS	40" L X 40"
SUPERIOR ESSEX	24	OUTDOOR, RIBBON, SINGLE-ARMOR, SINGLE-JACKET W/ ZERO WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	3,282	541 LBS	40" L X 40"
PRYSMIAN	24	INDOOR CABLE, RIBBON, NON-ARMORED, SINGLE-JACKET, RISER-RATED (OFNR) W/ CORNING SMF28E GLASS (ESMF)	19,917	2,841 LBS	72" L X 3"
PRYSMIAN	24	INDOOR CABLE, RIBBON, NON-ARMORED, SINGLE-JACKET, RISER-RATED (OFNR) W/ CORNING SMF28E GLASS (ESMF)	10,754	1,480 LBS	60" L X 3"
PRYSMIAN	24	INDOOR CABLE, RIBBON, NON-ARMORED, SINGLE-JACKET, RISER-RATED (OFNR) W/ CORNING SMF28E GLASS (ESMF)	10,623	1,500 LBS	60" L X 3"
SUPERIOR ESSEX	24	OUTDOOR, RIBBON, NON-ARMORED, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	9,150	830 LBS	40" L X 40"
SUPERIOR ESSEX	24	OUTDOOR, RIBBON, NON-ARMORED, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	8,824	807 LBS	40" L X 40"
PRYSMIAN	24	INDOOR/OUTDOOR, RIBBON, NON-ARMORED, SINGLE-JACKET, RISER-RATED (OFNR) W/ CORNING SMF28E GLASS (ESMF)	8,500	2,150 LBS	60" L X 3"
PRYSMIAN	24	INDOOR/OUTDOOR, RIBBON, NON-ARMORED, SINGLE-JACKET, RISER-RATED (OFNR) W/ CORNING SMF28E GLASS (ESMF)	8,428	2,050 LBS	60" L X 3"
PRYSMIAN	24	INDOOR/OUTDOOR, RIBBON, NON-ARMORED, SINGLE-JACKET, RISER-RATED (OFNR) W/ CORNING SMF28E GLASS (ESMF)	8,422	2,167 LBS	60" L X 3"
PRYSMIAN	24	INDOOR/OUTDOOR, RIBBON, NON-ARMORED, SINGLE-JACKET, RISER-RATED (OFNR) W/ CORNING SMF28E GLASS (ESMF)	8,380	2,114 LBS	60" L X 3"
PRYSMIAN	24	INDOOR/OUTDOOR, RIBBON, NON-ARMORED, SINGLE-JACKET, RISER-RATED (OFNR) W/ CORNING SMF28E GLASS (ESMF)	8,360	2,154 LBS	60" L X 3"
PRYSMIAN	24	INDOOR/OUTDOOR, RIBBON, NON-ARMORED, SINGLE-JACKET, RISER-RATED (OFNR) W/ CORNING SMF28E GLASS (ESMF)	8,358	2,077 LBS	60" L X 3"
PRYSMIAN	24	INDOOR/OUTDOOR, RIBBON, NON-ARMORED, SINGLE-JACKET, RISER-RATED (OFNR) W/ CORNING SMF28E GLASS (ESMF)	8,242	2,138 LBS	60" L X 3"
PRYSMIAN	24	INDOOR/OUTDOOR, RIBBON, NON-ARMORED, SINGLE-JACKET, RISER-RATED (OFNR) W/ CORNING SMF28E GLASS (ESMF)	8,240	2,032 LBS	60" L X 3"
PRYSMIAN	24	INDOOR/OUTDOOR, RIBBON, NON-ARMORED, SINGLE-JACKET, RISER-RATED (OFNR) W/ CORNING SMF28E GLASS (ESMF)	8,238	2,097 LBS	60" L X 3"
SUPERIOR ESSEX	24	OUTDOOR, RIBBON, NON-ARMORED, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	8,044	759 LBS	40" L X 40"
PRYSMIAN	24	INDOOR CABLE, RIBBON, NON-ARMORED, SINGLE-JACKET, RISER-RATED (OFNR) W/ CORNING SMF28E GLASS (ESMF)	7,578	1,162 LBS	60" L X 3"
PRYSMIAN	24	INDOOR CABLE, RIBBON, NON-ARMORED, SINGLE-JACKET, RISER-RATED (OFNR) W/ CORNING SMF28E GLASS (ESMF)	5,438	819 LBS	48" L X 2"
OFS	24	OUTDOOR, RIBBON, NON-ARMORED, SINGLE-JACKET W/ ZERO WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	4,772	765 LBS	48" L X 60"
COMMSCOPE	24	INDOOR CABLE, TIGHT-BUFFERED DISTRIBUTION CABLE, NON-ARMORED, SINGLE-JACKET, PLENUM-RATED W/ OM3 (50/125) MULTI-MODE GLASS	15,020	946 LBS	40" L X 40"
SUPERIOR ESSEX	12	OUTDOOR, LOOSE-TUBE, DOUBLE-ARMOR, DOUBLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	30,468	6,336	48" L X 84"
SUPERIOR ESSEX	12	INDOOR/OUTDOOR, LOOSE-TUBE, SINGLE-ARMOR, (LSZH) RATED SINGLE-JACKET W/ ZERO WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	11,078	1,904	44" L X 60"
AFL/SUPERIOR ESSEX	12	OUTDOOR, LOOSE-TUBE, SINGLE-ARMOR, SINGLE-JACKET W/ CORNING SMF28E GLASS (ESMF)	8,764	699	40" L X 48"
AFL/SUPERIOR ESSEX	12	OUTDOOR, LOOSE-TUBE, SINGLE-ARMOR, SINGLE-JACKET W/ CORNING SMF28E GLASS (ESMF)	8,268	672	40" L X 48"
SUPERIOR ESSEX	12	OUTDOOR, LOOSE-TUBE, SINGLE-ARMOR, DOUBLE-JACKET W/ CORNING ULTRA SMF28E+ REDUCED WATER PEAK FIBER (ESMF)	6,908	1,795	48" L X 84"
SUPERIOR ESSEX	12	OUTDOOR, LOOSE-TUBE, SINGLE-ARMOR, DOUBLE-JACKET W/ CORNING ULTRA SMF28E+ REDUCED WATER PEAK FIBER (ESMF)	6,868	1,035	40" L X 48"
AFL/SUPERIOR ESSEX	12	OUTDOOR, LOOSE-TUBE, SINGLE-ARMOR, SINGLE-JACKET W/ CORNING SMF28E GLASS (ESMF)	6,816	513	40" L X 40"
SUPERIOR ESSEX	12	OUTDOOR, LOOSE-TUBE, SINGLE-ARMOR, DOUBLE-JACKET W/ CORNING ULTRA SMF28E+ REDUCED WATER PEAK FIBER (ESMF)	6,746	1,776	48" L X 84"
SUPERIOR ESSEX	12	OUTDOOR, LOOSE-TUBE, SINGLE-ARMOR, DOUBLE-JACKET W/ CORNING ULTRA SMF28E+ REDUCED WATER PEAK FIBER (ESMF)	6,716	1,017	40" L X 48"
AFL/SUPERIOR ESSEX	12	OUTDOOR, LOOSE-TUBE, SINGLE-ARMOR, SINGLE-JACKET W/ CORNING SMF28E GLASS (ESMF)	6,508	577	40" L X 48"
SUPERIOR ESSEX	12	OUTDOOR, LOOSE-TUBE, SINGLE-ARMOR, DOUBLE-JACKET W/ CORNING SMF28E ULTRA GLASS (CORNING SMF28E COMPLIANT ESMF)	5,494	1,186	48" L X 72"
AFL/SUPERIOR ESSEX	12	OUTDOOR, LOOSE-TUBE, SINGLE-ARMOR, SINGLE-JACKET W/ CORNING SMF28E GLASS (ESMF)	5,262	384	40" L X 40"
SUPERIOR ESSEX	12	OUTDOOR, LOOSE-TUBE, SINGLE-ARMOR, DOUBLE-JACKET W/ CORNING SMF28E ULTRA GLASS (CORNING SMF28E COMPLIANT ESMF)	5,072	1,058	44" L X 60"
SUPERIOR ESSEX	12	OUTDOOR, LOOSE-TUBE, SINGLE-ARMOR, DOUBLE-JACKET W/ CORNING SMF28E ULTRA GLASS (CORNING SMF28E COMPLIANT ESMF)	5,030	1,133	48" L X 72"
AFL/SUPERIOR ESSEX	12	OUTDOOR, LOOSE-TUBE, SINGLE-ARMOR, SINGLE-JACKET W/ CORNING SMF28E GLASS (ESMF)	4,870	408	40" L X 40"

AFL/SUPERIOR ESSEX	12	OUTDOOR, LOOSE-TUBE, SINGLE-ARMOR, SINGLE-JACKET W/ CORNING SMF28E GLASS (ESMF)	4,516	469	40"L X 48"
SUPERIOR ESSEX	12	OUTDOOR, LOOSE-TUBE, SINGLE-ARMOR, DOUBLE-JACKET W/ CORNING ULTRA SMF28E+ REDUCED WATER PEAK FIBER (ESMF)	4,510	676	40"L X 40"
AFL/SUPERIOR ESSEX	12	OUTDOOR, LOOSE-TUBE, SINGLE-ARMOR, SINGLE-JACKET W/ CORNING SMF28E GLASS (ESMF)	4,298	312	40"L X 40"
SUPERIOR ESSEX	12	OUTDOOR, LOOSE-TUBE, SINGLE-ARMOR, DOUBLE-JACKET W/ CORNING ULTRA SMF28E+ REDUCED WATER PEAK FIBER (ESMF)	4,182	1,474	48"L X 84"
SUPERIOR ESSEX	12	OUTDOOR, LOOSE-TUBE, SINGLE-ARMOR, DOUBLE-JACKET W/ CORNING ULTRA SMF28E+ REDUCED WATER PEAK FIBER (ESMF)	3,778	1,426	48"W X 84"
SUPERIOR ESSEX	12	OUTDOOR, LOOSE-TUBE, SINGLE-ARMOR, DOUBLE-JACKET W/ CORNING SMF28E ULTRA COMPATIBLE GLASS (CORNING SMF28E COMPLIANT ESMF)	3,330	839	40"L X 60"
SUPERIOR ESSEX	12	OUTDOOR, CENTRAL LOOSE-TUBE, SINGLE-ARMOR, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	18,762	1,041	40"L X 48"
SUPERIOR ESSEX	12	OUTDOOR, CENTRAL LOOSE-TUBE, NON-ARMOR, SINGLE-JACKET, RISER-RATED (OFNR) W/ SM BIF FIBER G.657.A2 (CORNING SMF28E COMPLIANT GLASS)	12,382	664	40"L X 48"
AFL/SUPERIOR ESSEX	12	OUTDOOR, ROUND-DROP, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET W/ CORNING SMF28E GLASS (ESMF)	24,104	852	40"L X 48"
SUPERIOR ESSEX	12	OUTDOOR, ADSS, 150 METER SPAN, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	21,968	1,520	44"L X 60"
AFL/SUPERIOR ESSEX	12	OUTDOOR, ROUND-DROP, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET W/ CORNING SMF28E GLASS (ESMF)	21,684	789	40"L X 48"
AFL / SUPERIOR ESSEX	12	OUTDOOR, ROUND-DROP, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET W/ CORNING SMF28E GLASS (ESMF)	14,350	598	40"L X 48"
BELDEN	12	INDOOR/OUTDOOR, LOOSE-TUBE, NON-ARMORED, DOUBLE-JACKET, RISER RATED (OFNR) W/ OM1 (62.5/125) MULTI-MODE GLASS	5,310	677	40"L X 47"
PRYSMIAN	12	INDOOR/OUTDOOR, CENTRAL LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET, PLENUM RATED (OFNP) W/ OM3 (50/125) MULTI-MODE GLASS	6,136	258 LBS	30"L X 1.5"
SUPERIOR ESSEX	12	OUTDOOR, RIBBON, SINGLE-ARMOR, SINGLE-JACKET W/ ZERO WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	5,202	1,236	48"L X 72"
PRYSMIAN	12	INDOOR, RIBBON, BARE RIBBON FIBER, NO JACKET, OM3 (50/125) MULTI-MODE GLASS	16,404	82 LBS	36"L X 3"
COMMSCOPE	12	INDOOR/OUTDOOR, ALUMINUM INTERLOCKING ARMOR, DOUBLE-JACKET, RISER (OFNR) W/ SM BIF FIBER G.657.A1 (CORNING SMF28E COMPLIANT GLASS)	12,226	3,854 LBS	48"L X 72"
COMMSCOPE	12	INDOOR/OUTDOOR, ALUMINUM INTERLOCKING ARMOR, DOUBLE-JACKET, RISER (OFNR) W/ SM BIF FIBER G.657.A1 (CORNING SMF28E COMPLIANT GLASS)	8,490	2,543 LBS	45"L X 60"
PRYSMIAN	12	INDOOR/OUTDOOR, RIBBON, NON-ARMORED, SINGLE-JACKET, RISER-RATED (OFNR) W/ CORNING SMF28E GLASS (ESMF)	14,276	3,533 LBS	48"L X 72"
PRYSMIAN	12	INDOOR/OUTDOOR, RIBBON, NON-ARMORED, SINGLE-JACKET, RISER-RATED (OFNR) W/ CORNING SMF28E GLASS (ESMF)	7,158	1,866 LBS	60"L X 3"
PRYSMIAN	12	INDOOR/OUTDOOR, RIBBON, NON-ARMORED, SINGLE-JACKET, RISER-RATED (OFNR) W/ CORNING SMF28E GLASS (ESMF)	7,156	1,864 LBS	60"L X 3"
PRYSMIAN	12	INDOOR/OUTDOOR, RIBBON, NON-ARMORED, SINGLE-JACKET, RISER-RATED (OFNR) W/ CORNING SMF28E GLASS (ESMF)	7,140	1,910 LBS	60"L X 3"
PRYSMIAN	12	INDOOR/OUTDOOR, RIBBON, NON-ARMORED, SINGLE-JACKET, RISER-RATED (OFNR) W/ CORNING SMF28E GLASS (ESMF)	7,120	1,839 LBS	60"L X 3"
PRYSMIAN	12	INDOOR/OUTDOOR, RIBBON, NON-ARMORED, SINGLE-JACKET, RISER-RATED (OFNR) W/ CORNING SMF28E GLASS (ESMF)	7,118	1,894 LBS	60"L X 3"
PRYSMIAN	12	INDOOR/OUTDOOR, RIBBON, NON-ARMORED, SINGLE-JACKET, RISER-RATED (OFNR) W/ CORNING SMF28E GLASS (ESMF)	7,112	1,876 LBS	60"L X 3"
PRYSMIAN	12	INDOOR/OUTDOOR, RIBBON, NON-ARMORED, SINGLE-JACKET, RISER-RATED (OFNR) W/ CORNING SMF28E GLASS (ESMF)	7,112	1,832 LBS	60"L X 3"
PRYSMIAN	12	INDOOR/OUTDOOR, RIBBON, NON-ARMORED, SINGLE-JACKET, RISER-RATED (OFNR) W/ CORNING SMF28E GLASS (ESMF)	7,112	1,863 LBS	60"L X 3"
PRYSMIAN	12	INDOOR/OUTDOOR, RIBBON, NON-ARMORED, SINGLE-JACKET, RISER-RATED (OFNR) W/ CORNING SMF28E GLASS (ESMF)	7,074	1,887 LBS	60"L X 3"
PRYSMIAN	12	INDOOR/OUTDOOR, RIBBON, NON-ARMORED, SINGLE-JACKET, RISER-RATED (OFNR) W/ CORNING SMF28E GLASS (ESMF)	7,050	1,827 LBS	60"L X 3"
PRYSMIAN	12	INDOOR/OUTDOOR, RIBBON, NON-ARMORED, SINGLE-JACKET, RISER-RATED (OFNR) W/ CORNING SMF28E GLASS (ESMF)	7,050	1,887 LBS	60"L X 3"
PRYSMIAN	12	INDOOR/OUTDOOR, RIBBON, NON-ARMORED, SINGLE-JACKET, RISER-RATED (OFNR) W/ CORNING SMF28E GLASS (ESMF)	7,050	1,785 LBS	60"L X 3"
PRYSMIAN	12	INDOOR/OUTDOOR, RIBBON, NON-ARMORED, SINGLE-JACKET, RISER-RATED (OFNR) W/ CORNING SMF28E GLASS (ESMF)	7,030	1,865 LBS	60"L X 3"
AFL/SUPERIOR ESSEX	12	OUTDOOR, FLAT-DROP, NON-TONEABLE, NON-ARMORED, SINGLE-JACKET W/ CORNING SMF28E GLASS (ESMF)	12,764	465	40"L X 40"
AFL/SUPERIOR ESSEX	12	OUTDOOR, FLAT-DROP, NON-TONEABLE, NON-ARMORED, SINGLE-JACKET W/ CORNING SMF28E GLASS (ESMF)	11,768	440	40"L X 40"
SUPERIOR ESSEX	12	OUTDOOR, FLAT-DROP, TONEABLE, NON-ARMORED, SINGLE JACKET, 24AWG COPPER TRACER W/ BI-OM3 (50/125) MULTI-MODE GLASS	10,566	404 LBS	40"L X 40"
AFL/SUPERIOR ESSEX	12	OUTDOOR, FLAT-DROP, NON-TONEABLE, NON-ARMORED, SINGLE-JACKET W/ CORNING SMF28E GLASS (ESMF)	9,400	381	40"L X 40"
AFL/SUPERIOR ESSEX	12	OUTDOOR, FLAT-DROP, NON-TONEABLE, NON-ARMORED, SINGLE-JACKET W/ CORNING SMF28E GLASS (ESMF)	9,094	373	40"L X 40"
PRYSMIAN	12	INDOOR/OUTDOOR, TIGHT-BUFFERED DISTRIBUTION CABLE, NON-ARMORED, SINGLE-JACKET, PLENUM W/ BENDBRIGHT OM2 (50/125) MM GLASS	7,506	568 LBS	30"L X 1.5"
AFL/SUPERIOR ESSEX	12	OUTDOOR, FLAT-DROP, NON-TONEABLE, NON-ARMORED, SINGLE-JACKET W/ CORNING SMF28E GLASS (ESMF)	7,470	332	40"L X 40"
SUPERIOR ESSEX	12	OUTDOOR, FLAT-DROP, TONEABLE, NON-ARMORED, SINGLE JACKET, 24AWG COPPER TRACER W/ CORNING SMF28E ULTRA GLASS (CORNING SMF28E COMPLIANT ESMF)	5,458	338 LBS	40"L X 40"
SUPERIOR ESSEX	12	OUTDOOR, FLAT-DROP, NON-TONEABLE, NON-ARMORED, SINGLE-JACKET W/ CORNING SMF28E ULTRA GLASS (CORNING SMF28E COMPLIANT ESMF)	5,000	235 LBS	40"L X 40"
AFL/SUPERIOR ESSEX	8	OUTDOOR, LOOSE-TUBE, SINGLE-ARMOR, SINGLE-JACKET W/ CORNING SMF28E GLASS (ESMF)	10,747	806	40"L X 48"
SUPERIOR ESSEX	8	OUTDOOR, CENTRAL LOOSE-TUBE, SINGLE-ARMOR, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	13,736	1,082 LBS	40"L X 48"
SUPERIOR ESSEX	8	OUTDOOR, CENTRAL LOOSE-TUBE, SINGLE-ARMOR, SINGLE-JACKET W/ OM2 (50/125) MULTI-MODE GLASS	12,760	1,896 LBS	60"L X 42"
AFL/SUPERIOR ESSEX	8	OUTDOOR, FLAT-DROP, NON-TONEABLE, NON-ARMORED, SINGLE-JACKET W/ CORNING SMF28E GLASS (ESMF)	21,294	677	40"L X 40"
AFL/SUPERIOR ESSEX	8	OUTDOOR, FLAT-DROP, NON-TONEABLE, NON-ARMORED, SINGLE-JACKET W/ CORNING SMF28E GLASS (ESMF)	21,116	673	40"L X 40"
AFL/SUPERIOR ESSEX	8	OUTDOOR, FLAT-DROP, NON-TONEABLE, NON-ARMORED, SINGLE-JACKET W/ CORNING SMF28E GLASS (ESMF)	19,798	640	40"L X 40"
AFL/SUPERIOR ESSEX	8	OUTDOOR, FLAT-DROP, NON-TONEABLE, NON-ARMORED, SINGLE-JACKET W/ CORNING SMF28E GLASS (ESMF)	18,612	610	40"L X 40"
AFL/SUPERIOR ESSEX	8	OUTDOOR, FLAT-DROP, NON-TONEABLE, NON-ARMORED, SINGLE-JACKET W/ CORNING SMF28E GLASS (ESMF)	14,352	503	40"L X 40"
AFL/SUPERIOR ESSEX	8	OUTDOOR, FLAT-DROP, NON-TONEABLE, NON-ARMORED, SINGLE-JACKET W/ CORNING SMF28E GLASS (ESMF)	11,764	394	40"L X 40"
AFL/SUPERIOR ESSEX	8	OUTDOOR, FLAT-DROP, NON-TONEABLE, NON-ARMORED, SINGLE-JACKET W/ CORNING SMF28E GLASS (ESMF)	11,536	433	40"L X 40"
AFL/SUPERIOR ESSEX	8	OUTDOOR, FLAT-DROP, NON-TONEABLE, NON-ARMORED, SINGLE-JACKET W/ CORNING SMF28E GLASS (ESMF)	9,942	393	40"L X 40"
AFL/SUPERIOR ESSEX	8	OUTDOOR, FLAT-DROP, NON-TONEABLE, NON-ARMORED, SINGLE-JACKET W/ CORNING SMF28E GLASS (ESMF)	9,748	388	40"L X 40"

AFL/SUPERIOR ESSEX	8	OUTDOOR, FLAT-DROP, TONEABLE, NON-ARMORED, SINGLE-JACKET W/ CORNING SMF28E ULTRA GLASS (CORNING SMF28E COMPLIANT ESMF)	7,762	318	40"L X 40"
AFL/SUPERIOR ESSEX	8	OUTDOOR, FLAT-DROP, NON-TONEABLE, NON-ARMORED, SINGLE-JACKET W/ CORNING SMF28E GLASS (ESMF)	7,482	331	40"L X 40"
AFL/SUPERIOR ESSEX	8	OUTDOOR, FLAT-DROP, NON-TONEABLE, NON-ARMORED, SINGLE-JACKET W/ CORNING SMF28E GLASS (ESMF)	6,962	318	40"L X 40"
AFL/SUPERIOR ESSEX	8	OUTDOOR, FLAT-DROP, TONEABLE, NON-ARMORED, SINGLE-JACKET W/ CORNING SMF28E ULTRA GLASS (CORNING SMF28E COMPLIANT ESMF)	4,091	195	40"L X 40"
SUPERIOR ESSEX	6	OUTDOOR, LOOSE-TUBE, DOUBLE-ARMOR, TRIPLE-JACKET, REDUCED DIAMETER W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	12,994	3,415	48"L X 72"
SUPERIOR ESSEX	6	OUTDOOR, LOOSE-TUBE, DOUBLE-ARMOR, TRIPLE-JACKET, REDUCED DIAMETER W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	9,592	3,210	50"L X 96"
SUPERIOR ESSEX	6	OUTDOOR, LOOSE-TUBE, DOUBLE-ARMOR, TRIPLE-JACKET, REDUCED DIAMETER W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	9,060	2,469	44"L X 60"
SUPERIOR ESSEX	6	OUTDOOR, LOOSE-TUBE, DOUBLE-ARMOR, TRIPLE-JACKET, REDUCED DIAMETER W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	7,532	2,133	44"L X 60"
SUPERIOR ESSEX	6	OUTDOOR, LOOSE-TUBE, DOUBLE-ARMOR, TRIPLE-JACKET, REDUCED DIAMETER W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	7,232	2,147	48"L X 72"
AFL/SUPERIOR ESSEX	6	OUTDOOR, LOOSE-TUBE, SINGLE-ARMOR, SINGLE-JACKET W/ CORNING SMF28E GLASS (ESMF)	24,678	1,556	40"L X 48"
SUPERIOR ESSEX	6	OUTDOOR, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET W/ BI-OM3 (50/125) MULTI-MODE GLASS	24,208	1,578 LBS	48"L X 60"
AFL/SUPERIOR ESSEX	6	OUTDOOR, ROUND-DROP, NON-TONEABLE, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET W/ CORNING SMF28E ULTRA GLASS (CORNING SMF28E COMPLIANT ESMF)	22,074	795	40"L X 48"
PRYSMIAN	6	INDOOR/OUTDOOR, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET, LOW-SMOKE ZERO HALOGEN W/ BENDBRIGHT OM2 (50/125) MULTI-MODE GLASS	15,964	1,261 LBS	50"L X 2"
AFL/SUPERIOR ESSEX	6	OUTDOOR, ROUND-DROP, NON-TONEABLE, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET W/ CORNING SMF28E ULTRA GLASS (CORNING SMF28E COMPLIANT ESMF)	8,062	432	40"L X 48"
AFL/SUPERIOR ESSEX	6	OUTDOOR, ROUND-DROP, NON-TONEABLE, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET W/ CORNING SMF28E ULTRA GLASS (CORNING SMF28E COMPLIANT ESMF)	7,358	414	40"L X 48"
AFL/SUPERIOR ESSEX	6	OUTDOOR, FLAT-DROP, NON-TONEABLE, NON-ARMORED, SINGLE-JACKET W/ CORNING SMF28E GLASS (ESMF)	21,704	472	40"L X 40"
AFL/SUPERIOR ESSEX	6	OUTDOOR, FLAT-DROP, NON-TONEABLE, NON-ARMORED, SINGLE-JACKET W/ CORNING SMF28E GLASS (ESMF)	19,942	446	40"L X 40"
AFL/SUPERIOR ESSEX	6	OUTDOOR, FLAT-DROP, NON-TONEABLE, NON-ARMORED, SINGLE-JACKET W/ CORNING SMF28E GLASS (ESMF)	19,932	445	40"L X 40"
AFL/SUPERIOR ESSEX	6	OUTDOOR, FLAT-DROP, NON-TONEABLE, NON-ARMORED, SINGLE-JACKET W/ CORNING SMF28E GLASS (ESMF)	18,816	428	40"L X 40"
AFL/SUPERIOR ESSEX	6	OUTDOOR, FLAT-DROP, NON-TONEABLE, NON-ARMORED, SINGLE-JACKET W/ CORNING SMF28E GLASS (ESMF)	17,988	416	40"L X 40"
SUPERIOR ESSEX	6	OUTDOOR, FLAT-DROP, NON-TONEABLE, NON-ARMORED, SINGLE JACKET W/ CORNING SMF28E ULTRA GLASS (CORNING SMF28E COMPLIANT ESMF)	16,922	567	40"L X 40"
AFL/SUPERIOR ESSEX	6	OUTDOOR, FLAT-DROP, NON-TONEABLE, NON-ARMORED, SINGLE-JACKET W/ CORNING SMF28E GLASS (ESMF)	16,576	395	40"L X 40"
SUPERIOR ESSEX	6	OUTDOOR, FLAT-DROP, TONEABLE, NON-ARMORED, SINGLE JACKET, 24AWG COPPER TRACER W/ BI 550 METER 10G OM4 (50/125) MULTI-MODE GLASS	15,000	515	40"L X 40"
SUPERIOR ESSEX	6	OUTDOOR, FLAT-DROP, NON-TONEABLE, NON-ARMORED, SINGLE-JACKET W/ OM1 (62.5/125) MULTI-MODE GLASS	12,236	450 LBS	40"L X 40"
AFL/SUPERIOR ESSEX	6	OUTDOOR, FLAT-DROP, NON-TONEABLE, NON-ARMORED, SINGLE-JACKET W/ CORNING SMF28E GLASS (ESMF)	11,448	317	40"L X 40"
AFL/SUPERIOR ESSEX	6	OUTDOOR, FLAT-DROP, NON-TONEABLE, NON-ARMORED, SINGLE-JACKET W/ CORNING SMF28E GLASS (ESMF)	9,750	291	40"L X 40"
AFL/SUPERIOR ESSEX	6	OUTDOOR, FLAT-DROP, NON-TONEABLE, NON-ARMORED, SINGLE-JACKET W/ CORNING SMF28E GLASS (ESMF)	9,000	280	40"L X 40"
AFL/SUPERIOR ESSEX	6	OUTDOOR, FLAT-DROP, TONEABLE, NON-ARMORED, SINGLE-JACKET W/ CORNING SMF28E ULTRA GLASS (CORNING SMF28E COMPLIANT ESMF)	8,598	387	40"L X 40"
SUPERIOR ESSEX	6	OUTDOOR, FLAT-DROP, NON-TONEABLE, NON-ARMORED, SINGLE-JACKET W/ SM BIF G.657.A1 (CORNING SMF28E COMPLIANT GLASS)	7,790	339	40"L X 40"
SUPERIOR ESSEX	6	OUTDOOR, FLAT-DROP, NON-TONEABLE, NON-ARMORED, SINGLE-JACKET W/ SM BIF G.657.A1 (CORNING SMF28E COMPLIANT GLASS)	7,416	329	40"L X 40"
SUPERIOR ESSEX	6	OUTDOOR, FLAT-DROP, NON-TONEABLE, NON-ARMORED, SINGLE-JACKET W/ SM BIF G.657.A1 (CORNING SMF28E COMPLIANT GLASS)	7,140	322	40"L X 40"
AFL/SUPERIOR ESSEX	6	OUTDOOR, FLAT-DROP, TONEABLE, NON-ARMORED, SINGLE-JACKET W/ CORNING SMF28E ULTRA GLASS (CORNING SMF28E COMPLIANT ESMF)	6,678	332	40"L X 40"
AFL/SUPERIOR ESSEX	6	OUTDOOR, FLAT-DROP, TONEABLE, NON-ARMORED, SINGLE-JACKET W/ CORNING SMF28E ULTRA GLASS (CORNING SMF28E COMPLIANT ESMF)	6,118	317	40"L X 40"
AFL/SUPERIOR ESSEX	6	OUTDOOR, FLAT-DROP, NON-TONEABLE, NON-ARMORED, SINGLE-JACKET W/ CORNING SMF28E GLASS (ESMF)	6,090	236	40"L X 40"
AFL/SUPERIOR ESSEX	6	OUTDOOR, FLAT-DROP, TONEABLE, NON-ARMORED, SINGLE JACKET, 24AWG COPPER TRACER W/ CORNING SMF28E ULTRA GLASS (CORNING SMF28E COMPLIANT ESMF)	5,416	232	40"L X 40"
SUPERIOR ESSEX	4	OUTDOOR, LOOSE-TUBE, DOUBLE-ARMOR, DOUBLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	8,816	2,108	48"L X 72"
SUPERIOR ESSEX	4	OUTDOOR, LOOSE-TUBE, DOUBLE-ARMOR, DOUBLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	5,470	1,519	48"L X 72"
SUPERIOR ESSEX	4	OUTDOOR, LOOSE-TUBE, DOUBLE-ARMOR, DOUBLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	5,178	1,891	48"L X 84"
SUPERIOR ESSEX	4	OUTDOOR, LOOSE-TUBE, DOUBLE-ARMOR, DOUBLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	5,104	1,122	40"L X 48"
SUPERIOR ESSEX	4	OUTDOOR, LOOSE-TUBE, DOUBLE-ARMOR, DOUBLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	4,886	1,840	48"L X 84"
SUPERIOR ESSEX	4	OUTDOOR, LOOSE-TUBE, DOUBLE-ARMOR, DOUBLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	4,248	1,224	48"L X 60"
SUPERIOR ESSEX	4	OUTDOOR, LOOSE-TUBE, SINGLE-ARMOR, SINGLE-JACKET W/ CORNING SMF28E GLASS (ESMF)	19,116	1,050	40"L X 48"
COMMSCOPE	4	OUTDOOR, LOOSE-TUBE, SINGLE-ARMOR, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E ULTRA COMPLIANT ESMF)	13,408	1,577 LBS	45"L X 66"
SUPERIOR ESSEX	4	OUTDOOR, LOOSE-TUBE, SINGLE-ARMOR, SINGLE-JACKET W/ CORNING SMF28E GLASS (ESMF)	4,988	440	40"L X 48"
SUPERIOR ESSEX	4	OUTDOOR, LOOSE-TUBE, SINGLE-ARMOR, SINGLE-JACKET W/ CORNING SMF28E GLASS (ESMF)	4,896	311	40"L X 40"
SUPERIOR ESSEX	4	OUTDOOR, LOOSE-TUBE, SINGLE-ARMOR, SINGLE-JACKET W/ CORNING SMF28E GLASS (ESMF)	4,692	427	40"L X 48"
COMMSCOPE	4	OUTDOOR, LOOSE-TUBE, SINGLE-ARMOR, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E ULTRA COMPLIANT ESMF)	4,146	496	33"L X 42"
SUPERIOR ESSEX	4	OUTDOOR, LOOSE-TUBE, NON-ARMORED, SINGLE-JACKET W/ ZERO WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	10,396	954	44"L X 60"
SUPERIOR ESSEX	4	OUTDOOR, FLAT-DROP, NON-TONEABLE, NON-ARMORED, SINGLE JACKET W/ ZERO WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	21,000	667	40"L X 40"
SUPERIOR ESSEX	4	OUTDOOR, FLAT-DROP, TONEABLE, NON-ARMORED, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	15,132	678 LBS	40"L X 40"
AFL/SUPERIOR ESSEX	4	OUTDOOR, FLAT-DROP, TONEABLE, NON-ARMORED, SINGLE-JACKET W/ CORNING SMF28E ULTRA GLASS (CORNING SMF28E COMPLIANT ESMF)	14,486	552	40"L X 40"
PRYSMIAN	4	INDOOR/OUTDOOR, TIGHT-BUFFERED DISTRIBUTION CABLE, NON-ARMORED, SINGLE-JACKET, RISER W/ OM2 (50/125) BIF MULTI-MODE GLASS	13,270	318 LBS	30"L X 1"
SUPERIOR ESSEX	4	OUTDOOR, FLAT-DROP, NON-TONEABLE, NON-ARMORED, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF) ON 1,000 FT SPOOLS	11,000	393 LBS	40"L X 48"

AFL/SUPERIOR ESSEX	4	OUTDOOR, FLAT-DROP, TONEABLE, NON-ARMORED, SINGLE-JACKET W/ CORNING SMF28E ULTRA GLASS (CORNING SMF28E COMPLIANT ESMF)	10,836	449	40"L X 40"
SUPERIOR ESSEX	4	OUTDOOR, FLAT-DROP, TONEABLE, NON-ARMORED, SINGLE JACKET, 24AWG COPPER TRACER W/ TERAFLEX ESMF GLASS (CORNING SMF28E COMPLIANT) ON 5,000 FT REELS	10,000	362	40"L X 40"
AFL/SUPERIOR ESSEX	4	OUTDOOR, FLAT-DROP, NON-TONEABLE, NON-ARMORED, SINGLE-JACKET W/ CORNING SMF28E GLASS (ESMF)	9,910	391	40"L X 40"
AFL/SUPERIOR ESSEX	4	OUTDOOR, FLAT-DROP, NON-TONEABLE, NON-ARMORED, SINGLE-JACKET W/ CORNING SMF28E GLASS (ESMF)	9,086	370	40"L X 40"
SUPERIOR ESSEX	4	OUTDOOR, FLAT-DROP, TONEABLE, NON-ARMORED, SINGLE JACKET, 24AWG COPPER TRACER W/ TERAFLEX ESMF GLASS (CORNING SMF28E COMPLIANT) ON 5,000 FT REELS	5,000	221	40"L X 40"
SUPERIOR ESSEX	2	OUTDOOR, LOOSE-TUBE, SINGLE-ARMOR, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	4,808	1,376	48"L X 84"
PRYSMIAN	2	INDOOR CABLE, ZIPCORD 2.0 MM, TIGHT-BUFFERED, NON-ARMORED, SINGLE-JACKET, PLENUM-RATED W/ OM2 (50/125) BIF MULTI-MODE GLASS	28,632	218 LBS	30"L X 1"
PRYSMIAN	2	INDOOR CABLE, TIGHT-BUFFERED CABLE, NON-ARMORED, SINGLE-JACKET, PLENUM-RATED W/ BENDBRIGHT OM3 (50/125) MULTI-MODE GLASS	26,313	198 LBS	30"L X 1"
SUPERIOR ESSEX	2	OUTDOOR, FLAT-DROP, NON-TONEABLE, NON-ARMORED, SINGLE JACKET W/ ZERO WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	25,222	771	40"L X 40"
SUPERIOR ESSEX	2	OUTDOOR, FLAT-DROP, NON-TONEABLE, NON-ARMORED, SINGLE JACKET W/ ZERO WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	25,114	769	40"L X 40"
SUPERIOR ESSEX	2	OUTDOOR, FLAT-DROP, NON-TONEABLE, NON-ARMORED, SINGLE-JACKET W/ CORNING SMF28E ULTRA GLASS (CORNING SMF28E COMPLIANT ESMF)	18,000	701	40"L X 40"
SUPERIOR ESSEX	2	OUTDOOR, FLAT-DROP, NON-TONEABLE, NON-ARMORED, SINGLE-JACKET W/ CORNING SMF28E ULTRA GLASS (CORNING SMF28E COMPLIANT ESMF)	10,070	394	40"L X 40"
SUPERIOR ESSEX	2	OUTDOOR, FLAT-DROP, NON-TONEABLE, NON-ARMORED, SINGLE-JACKET W/ CORNING SMF28E ULTRA COMPATIBLE GLASS (CORNING SMF28E COMPLIANT ESMF)	7,910	341	40"L X 40"
SUPERIOR ESSEX	2	OUTDOOR, FLAT-DROP, NON-TONEABLE, NON-ARMORED, SINGLE-JACKET W/ CORNING SMF28E ULTRA COMPATIBLE GLASS (CORNING SMF28E COMPLIANT ESMF)	7,866	340	40"L X 40"
SUPERIOR ESSEX	2	OUTDOOR, FLAT-DROP, NON-TONEABLE, NON-ARMORED, SINGLE-JACKET W/ CORNING SMF28E ULTRA COMPATIBLE GLASS (CORNING SMF28E COMPLIANT ESMF)	7,698	290	40"L X 40"
SUPERIOR ESSEX	2	OUTDOOR, FLAT-DROP, NON-TONEABLE, NON-ARMORED, SINGLE-JACKET W/ CORNING SMF28E ULTRA COMPATIBLE GLASS (CORNING SMF28E COMPLIANT ESMF)	7,158	322	40"L X 40"
SUPERIOR ESSEX	2	OUTDOOR, FLAT-DROP, NON-TONEABLE, NON-ARMORED, SINGLE-JACKET W/ CORNING SMF28E ULTRA COMPATIBLE GLASS (CORNING SMF28E COMPLIANT ESMF)	6,977	273	40"L X 40"
SUPERIOR ESSEX	2	OUTDOOR, FLAT-DROP, NON-TONEABLE, NON-ARMORED, SINGLE-JACKET W/ CORNING SMF28E ULTRA COMPATIBLE GLASS (CORNING SMF28E COMPLIANT ESMF)	6,753	267	40"L X 40"
SUPERIOR ESSEX	2	OUTDOOR, ROUND-DROP, TONEABLE, NON-ARMORED, SINGLE-JACKET (OFNR) W/ TERAFLEX TIGHT BUFFERED BIF ESMF GLASS (CORNING SMF28E COMPLIANT)	6,044	236	40"L X 40"
SUPERIOR ESSEX	2	OUTDOOR, FLAT-DROP, NON-TONEABLE, NON-ARMORED, SINGLE-JACKET W/ CORNING SMF28E ULTRA COMPATIBLE GLASS (CORNING SMF28E COMPLIANT ESMF)	5,806	288	40"L X 40"
SUPERIOR ESSEX	2	OUTDOOR, FLAT-DROP, TONEABLE, NON-ARMORED, SINGLE JACKET, 24AWG COPPER TRACER W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	4,972	319	40"L X 40"
SUPERIOR ESSEX	2	OUTDOOR, FLAT-DROP, NON-TONEABLE, NON-ARMORED, SINGLE-JACKET W/ CORNING SMF28E ULTRA COMPATIBLE GLASS (CORNING SMF28E COMPLIANT ESMF)	4,693	196	40"L X 40"
SUPERIOR ESSEX	2	OUTDOOR, FLAT-DROP, TONEABLE, NON-ARMORED, SINGLE JACKET, 24AWG COPPER TRACER W/ SINGLE-MODE BIF FIBER G.657.A1 (CORNING SMF28E COMPLIANT GLASS)	4,630	274	40"L X 40"
SUPERIOR ESSEX	2	OUTDOOR, FLAT-DROP, NON-TONEABLE, NON-ARMORED, SINGLE-JACKET W/ CORNING SMF28E ULTRA COMPATIBLE GLASS (CORNING SMF28E COMPLIANT ESMF)	4,598	258	40"L X 40"
SUPERIOR ESSEX	2	OUTDOOR, FLAT-DROP, TONEABLE, NON-ARMORED, SINGLE JACKET, 24AWG COPPER TRACER W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	4,486	302	40"L X 40"
SUPERIOR ESSEX	2	OUTDOOR, FLAT-DROP, TONEABLE, NON-ARMORED, SINGLE JACKET, 24AWG COPPER TRACER W/ CORNING SMF28E GLASS (ESMF)	4,464	301	40"L X 40"
SUPERIOR ESSEX	2	OUTDOOR, FLAT-DROP, TONEABLE, NON-ARMORED, SINGLE JACKET, 24AWG COPPER TRACER W/ CORNING SMF28E GLASS (ESMF)	4,454	236	40"L X 40"
SUPERIOR ESSEX	2	OUTDOOR, FLAT-DROP, TONEABLE, NON-ARMORED, SINGLE JACKET, 24AWG COPPER TRACER W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	4,378	298	40"L X 40"
SUPERIOR ESSEX	2	OUTDOOR, FLAT-DROP, TONEABLE, NON-ARMORED, SINGLE JACKET, 24AWG COPPER TRACER W/ CORNING SMF28E ULTRA GLASS (CORNING SMF28E COMPLIANT ESMF)	4,282	264	40"L X 40"
SUPERIOR ESSEX	2	OUTDOOR, FLAT-DROP, TONEABLE, NON-ARMORED, SINGLE JACKET, 24AWG COPPER TRACER W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	4,268	294	40"L X 40"
SUPERIOR ESSEX	2	OUTDOOR, FLAT-DROP, TONEABLE, NON-ARMORED, SINGLE JACKET, 24AWG COPPER TRACER W/ SINGLE-MODE BIF FIBER G.657.A1 (CORNING SMF28E COMPLIANT GLASS)	4,190	262	40"L X 40"
SUPERIOR ESSEX	2	OUTDOOR, FLAT-DROP, TONEABLE, NON-ARMORED, SINGLE JACKET, 24AWG COPPER TRACER W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	4,044	222	40"L X 40"
SUPERIOR ESSEX	2	OUTDOOR, FLAT-DROP, TONEABLE, NON-ARMORED, SINGLE JACKET, 24AWG COPPER TRACER W/ CORNING SMF28E GLASS (ESMF)	3,484	267	40"L X 40"
SUPERIOR ESSEX	2	OUTDOOR, FLAT-DROP, TONEABLE, NON-ARMORED, SINGLE JACKET, 24AWG COPPER TRACER W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	3,406	344	40"L X 48"
SUPERIOR ESSEX	2	OUTDOOR, FLAT-DROP, TONEABLE, NON-ARMORED, SINGLE JACKET, 24AWG COPPER TRACER W/ CORNING SMF28E GLASS (ESMF)	3,248	258	40"L X 40"
SUPERIOR ESSEX	2	OUTDOOR, FLAT-DROP, TONEABLE, NON-ARMORED, SINGLE JACKET, 24AWG COPPER TRACER W/ CORNING SMF28E GLASS (ESMF)	3,120	189	40"L X 40"
SUPERIOR ESSEX	2	OUTDOOR, FLAT-DROP, NON-TONEABLE, NON-ARMORED, SINGLE JACKET W/ ZERO WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	2,500	141	40"L X 40"
AFL/SUPERIOR ESSEX	1	OUTDOOR, LOOSE-TUBE, SINGLE-ARMOR, SINGLE-JACKET W/ CORNING SMF28E GLASS (ESMF)	17,198	1,156	40"L X 48"
AFL/SUPERIOR ESSEX	1	INDOOR/OUTDOOR, FLAT-DROP, TIGHT-BUFFERED, SINGLE-JACKET, RISER (OFNR) W/ ENHANCED SINGLE-MODE BIF FIBER G.657.A2 (CORNING SMF28E COMPLIANT GLASS)	25,018	731	40"L X 40"
AFL/SUPERIOR ESSEX	1	INDOOR/OUTDOOR, FLAT-DROP, TIGHT-BUFFERED, SINGLE-JACKET, RISER (OFNR) W/ ENHANCED SINGLE-MODE BIF FIBER G.657.A2 (CORNING SMF28E COMPLIANT GLASS)	15,792	515	40"L X 40"
AFL/SUPERIOR ESSEX	1	INDOOR/OUTDOOR, FLAT-DROP, TIGHT-BUFFERED, SINGLE-JACKET, RISER (OFNR) W/ ENHANCED SINGLE-MODE BIF FIBER G.657.A2 (CORNING SMF28E COMPLIANT GLASS)	7,317	271	40"L X 40"
SUPERIOR ESSEX	1	OUTDOOR, FLAT-DROP, TIGHT-BUFFERED, TONEABLE, NON-ARMORED, SINGLE-JACKET W/ CORNING BIF G.657.B3 (CORNING SMF28E COMPLIANT ESMF)	26,150	837	40"L X 40"
SUPERIOR ESSEX	1	OUTDOOR, FLAT-DROP, TIGHT-BUFFERED, TONEABLE, NON-ARMORED, SINGLE-JACKET W/ CORNING BIF G.657.B3 (CORNING SMF28E COMPLIANT ESMF)	25,950	832	40"L X 40"
SUPERIOR ESSEX	1	OUTDOOR, FLAT-DROP, TIGHT-BUFFERED, TONEABLE, NON-ARMORED, SINGLE-JACKET W/ CORNING BIF G.657.B3 (CORNING SMF28E COMPLIANT ESMF)	25,688	825	40"L X 40"
SUPERIOR ESSEX	1	OUTDOOR, FLAT-DROP, TIGHT-BUFFERED, TONEABLE, NON-ARMORED, SINGLE-JACKET W/ CORNING BIF G.657.B3 (CORNING SMF28E COMPLIANT ESMF)	25,514	820	40"L X 40"
SUPERIOR ESSEX	1	OUTDOOR, FLAT-DROP, TONEABLE, NON-ARMORED, SINGLE-JACKET W/ TIGHT BUFFERED CORNING ULTRA GLASS (CORNING SMF28E COMPLIANT)	25,108	807	40"L X 40"
SUPERIOR ESSEX	1	OUTDOOR, FLAT-DROP, TONEABLE, NON-ARMORED, SINGLE-JACKET W/ TIGHT BUFFERED CORNING ULTRA GLASS (CORNING SMF28E COMPLIANT)	24,910	801	40"L X 40"
SUPERIOR ESSEX	1	OUTDOOR, FLAT-DROP, TIGHT-BUFFERED, TONEABLE, NON-ARMORED, SINGLE-JACKET W/ CORNING BIF G.657.B3 (CORNING SMF28E COMPLIANT ESMF)	24,538	795	40"L X 40"
SUPERIOR ESSEX	1	OUTDOOR, FLAT-DROP, NON-TONEABLE, NON-ARMORED, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	24,478	752 LBS	40"L X 40"
SUPERIOR ESSEX	1	OUTDOOR, FLAT-DROP, TIGHT-BUFFERED, TONEABLE, NON-ARMORED, SINGLE-JACKET W/ CORNING BIF G.657.B3 (CORNING SMF28E COMPLIANT ESMF)	24,474	793	40"L X 40"
SUPERIOR ESSEX	1	OUTDOOR, FLAT-DROP, TIGHT-BUFFERED, TONEABLE, NON-ARMORED, SINGLE-JACKET W/ CORNING BIF G.657.B3 (CORNING SMF28E COMPLIANT ESMF)	24,472	793	40"L X 40"
SUPERIOR ESSEX	1	OUTDOOR, FLAT-DROP, TIGHT-BUFFERED, TONEABLE, NON-ARMORED, SINGLE-JACKET W/ CORNING BIF G.657.B3 (CORNING SMF28E COMPLIANT ESMF)	24,462	792	40"L X 40"
SUPERIOR ESSEX	1	OUTDOOR, FLAT-DROP, NON-TONEABLE, NON-ARMORED, SINGLE-JACKET W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	24,430	751 LBS	40"L X 40"







SUPERIOR ESSEX	1	OUTDOOR, FLAT-DROP, TONEABLE, NON-ARMORED, SINGLE-JACKET W/ TIGHT BUFFERED CORNING ULTRA GLASS (CORNING SMF28E COMPLIANT)	5,546	290	40"L X 40"
SUPERIOR ESSEX	1	OUTDOOR, FLAT-DROP, TONEABLE, NON-ARMORED, SINGLE JACKET, 24AWG COPPER TRACER W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	4,160	261	40"L X 40"
SUPERIOR ESSEX	1	OUTDOOR, FLAT-DROP, TONEABLE, NON-ARMORED, SINGLE JACKET, 24AWG COPPER TRACER W/ REDUCED WATER PEAK GLASS (CORNING SMF28E COMPLIANT ESMF)	4,018	337	40"L X 48"
SUPERIOR ESSEX	1	OUTDOOR, FLAT-DROP, TONEABLE, NON-ARMORED, SINGLE-JACKET W/ TIGHT BUFFERED CORNING ULTRA GLASS (CORNING SMF28E COMPLIANT)	3,574	238	40"L X 40"
SUPERIOR ESSEX	1	OUTDOOR, FLAT-DROP, TIGHT-BUFFERED, TONEABLE, NON-ARMORED, SINGLE-JACKET W/ CORNING BIF G.657.B3 (CORNING SMF28E COMPLIANT ESMF)	3,250	165	40"L X 40"
SUPERIOR ESSEX	1	OUTDOOR, FLAT-DROP, TIGHT-BUFFERED, TONEABLE, NON-ARMORED, SINGLE-JACKET W/ CORNING BIF G.657.B3 (CORNING SMF28E COMPLIANT ESMF)	3,250	185	40"L X 40"
SUPERIOR ESSEX	1	OUTDOOR, FLAT-DROP, TIGHT-BUFFERED, TONEABLE, NON-ARMORED, SINGLE-JACKET W/ CORNING BIF G.657.B3 (CORNING SMF28E COMPLIANT ESMF)	3,244	230	40"L X 40"
SUPERIOR ESSEX	1	OUTDOOR, FLAT-DROP, TIGHT-BUFFERED, TONEABLE, NON-ARMORED, SINGLE-JACKET W/ CORNING BIF G.657.B3 (CORNING SMF28E COMPLIANT ESMF)	3,238	230	40"L X 40"
SUPERIOR ESSEX	1	OUTDOOR, FLAT-DROP, TIGHT-BUFFERED, TONEABLE, NON-ARMORED, SINGLE-JACKET W/ CORNING BIF G.657.B3 (CORNING SMF28E COMPLIANT ESMF)	3,232	230	40"L X 40"
SUPERIOR ESSEX	1	OUTDOOR, FLAT-DROP, TIGHT-BUFFERED, TONEABLE, NON-ARMORED, SINGLE-JACKET W/ CORNING BIF G.657.B3 (CORNING SMF28E COMPLIANT ESMF)	3,202	229	40"L X 40"
SUPERIOR ESSEX	1	OUTDOOR, FLAT-DROP, TIGHT-BUFFERED, TONEABLE, NON-ARMORED, SINGLE-JACKET W/ CORNING BIF G.657.B3 (CORNING SMF28E COMPLIANT ESMF)	3,194	229	40"L X 40"
SUPERIOR ESSEX	1	OUTDOOR, FLAT-DROP, TIGHT-BUFFERED, TONEABLE, NON-ARMORED, SINGLE-JACKET W/ CORNING BIF G.657.B3 (CORNING SMF28E COMPLIANT ESMF)	3,178	228	40"L X 40"
SUPERIOR ESSEX	1	OUTDOOR, FLAT-DROP, TIGHT-BUFFERED, TONEABLE, NON-ARMORED, SINGLE-JACKET W/ CORNING BIF G.657.B3 (CORNING SMF28E COMPLIANT ESMF)	3,172	163	40"L X 40"
SUPERIOR ESSEX	100 PAIR CABLE	SWITCHBOARD CABLE, SHIELDED W/ 100PR/24AWG	2,500	1,000 LBS	42"L X 3"
SUPERIOR ESSEX	100 PAIR CABLE	SWITCHBOARD CABLE, SHIELDED W/ 100PR/24AWG	2,060	850 LBS	42"L X 3"

